This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(51) International Patent Classification 6:		(11) International Publication Number: WO 95/0412
C11D 7/08, 7/38, 7/54, D06L 1/12, 3/02	A1	(43) International Publication Date: 9 February 1995 (09.02.9:
21) International Application Number: PCT/US 22) International Filing Date: 27 July 1994 (ří, GE, HU, JP, KG, KP, KR, KZ, LK, LT, LV, MD, MC MN, NO, NZ, PL, RO, RU, SI, SK, TJ, TT, UA, US, U
		VN, OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, MI MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD).
30) Priority Data: 93870161.2 3 August 1993 (03.08.93) (34) Countries for which the regional or international application was filed:	BE et a	Published
71) Applicant (for all designated States except US): THI TER & GAMBLE COMPANY [US/US]; One F Gamble Plaza, Cincinnati, OH 45202 (US).		
72) Inventors; and 75) Inventors/Applicants (for US only): KOENIG, Axel Erasmuslaan 3, B-1810 Wemmel (BE). SCIALLA [IT/IT]; Viale dei Caduti nella Guerra di Liberazi I-00128 Roma (IT). SODDU, Andrea [IT/BE]; F Fauvette 79, B-1180 Uccle (BE).	, Stefar	
74) Agents: REED, T., David et al.; The Procter & Company, 5299 Spring Grove Avenue, Cincins 45217 (US).		
50 THE A DOCESS OF CLEANING CADDETS HE	NG AC	IVE OXYGEN COMPOUNDS IN AN ACIDIC AQUEOUS MEDIU.
57) Abstract	NO AC	145 ON 10TH COMP CONDUCTATION TO THE LEGISLA WITH CONTROL OF THE C
The present invention relates to the use of stable aque oxygen. Said composition has a pH of from 1 to 6.	eous co	positions for the cleaning of carpets which comprise a source of acti
,		
-		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
ΑÜ	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	Œ	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SI	Slovenia
CI	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovakia
CM	Cameroon	Ц	Liechtenstein	SN	Scnegal
CN	China	LK	Sri Lanka	TD	Chad
cs	Czechoslovakia	LO	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	TJ	Tajikistan
DE	Germany	MC	Monaco	TT	Trinidad and Tobago
DK	Denmark	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali	UZ	Uzbekistan
FR	France	MN	Mongolia	VN	Vict Nam
GA	Gabon		•		

1

A PROCESS OF CLEANING CARPETS USING ACTIVE OXYGEN COMPOUNDS IN AN ACIDIC AQUEOUS MEDIUM

Technical Field

The present invention relates to the use of aqueous compositions for carpet cleaning:

Background of the Invention

Carpets produced from synthetic or natural fibres and mixtures thereof are commonly used in residential and commercial applications as a floor covering. Various types of fibres can be used in making carpets such as polyamide and wool.

However, carpets irrespective of whether they are made from natural or synthetic fibres are all prone to soiling and staining when contacted with many household items. Beverages in particular such as coffee, tea and soft drinks especially those containing acidic dyes can cause unsightly, often dark stains on carpets. In addition fibres may become soiled as a result of dirt particles, grease, oils, foods, pet stains and other solid materials which may be inorganic or organic coming into contact with and adhering to the fibres of the carpet.

Stains or soils are often not readily removed from the carpets, especially if not treated immediately after the spillage has occurred. Indeed, if the stain or soil has become dry the difficulty of removing the stain or soil effectively is significantly increased. As a result of soiling and staining the carpets become unsightly, often malodorous and unhygienic.

Carpets may often also be inhabited by microinsects such as house lice and mites. The presence of microinsects is considered unhygienic and thus it is desirable that such insects can be exterminated and removed from the carpet.

There are a number of carpet cleaning compositions described in the art for removing stains and soils. For example volatile solvent dry cleaning fluids. However, these compositions are not effective on water-soluble stains or soils. Aqueous compositions comprising synthetic detergents have also been described, but are also not satisfactory, especially on colour stains such as coffee, fruit juices and beverages.

Other aqueous compositions which have been disclosed in the art are compositions comprising hydrogen peroxide having an alkaline pH. However, these compositions are not stable. The pH must be adjusted just prior to use. This is inconvenient both to the manufacturer, who must supply the ingredients separately and the consumer, who must regulate the pH of the composition before applying it to the area to be treated.

The present invention is the use of a stable aqueous composition comprising hydrogen peroxide or sources thereof having an acidic pH for the cleaning of carpets.

An advantage of the present invention is that the composition is stable and does not require pH adjustment prior to use and can be stored for long periods of time prior to use.

A further advantage of the present invention is that it is applicable to all carpet types, especially delicate natural fibres and is also safe to all carpet dye types, particularly sensitive natural dyes used therein.

Another advantage of the present invention is that it may be applied directly on the carpet without causing damage to the carpet. In addition the cleaning action of the invention commences as soon as the carpet cleaner has been applied to the surface. The use of the carpet cleaner of the present invention does not necessarily require rubbing or rinsing or washing of the carpet.

Aqueous acidic hydrogen peroxide compositions are known in the art. However their use as carpet cleaner has not been previously disclosed.

EP 346 835 discloses an aqueous carpet cleaning composition for synthetic carpets comprising hydrogen peroxide, a water soluble alcohol at pH 7-12 and a method for removing soils from carpets using said composition.

US 3 607 760 discloses an aqueous carpet cleaning composition and the use thereof which comprises hydrocarbon ethers of ethylene glycol, hydrogen peroxide and EDTA. There is no disclosure of pH values.

Melliand Textüber. Int. 57(6), 473-5 discloses the oxidation of wool carpets with aqueous hydrogen peroxide to

WO 95/04127 PCT/US94/08662

4

reduce electrostatic charge build-up. The compositions further comprise tetra sodiumdiphosphate hydrate and are at pH 9.

Tenside, Surfactants, Detrg., 23(2), 80-4 discloses an aqueous carpet cleaning and bleaching composition for synthetic and natural fibre carpets comprising hydrogen peroxide and acetic acid or magnesium perphthalate. The article discloses the results of a test to determine the pH dependency of the bleaching effect. From this test it was concluded that the optimum pH value is from 9 to 10.

5

Summary of the Invention

The present invention is the use of a stable aqueous composition comprising a source of active oxygen having a pH of from 1 to 6 for the cleaning of carpets.

All amounts, percentages and ratios are given by weight of the total composition unless otherwise stated.

Detailed Description of the Invention

The present invention is the use of a stable acidic aqueous composition comprising a source of active oxygen.

The term stable as used herein refers to compositions will not undergo any chemical or interactions, thus the compositions will remain constant and active even when stored for long periods of time. As a result the ingredients of the compositions according to the present invention do not require mixing just prior to said compositions' use or pH regulating. Thus, the amount of available oxygen in the composition during the products lifetime, which is typically 12 months, cannot be less than 85% of the amount of available oxygen present when the composition is formulated.

Thus according to the present invention an essential ingredient is a source of active oxygen. A preferred source according to the present invention is hydrogen peroxide or sources thereof. As used herein a hydrogen peroxide source refers to any compound which produces hydrogen peroxide when said compound is in contact with water. Suitable water-soluble sources of hydrogen peroxide for use herein include percarbonates, metal peroxides and perborates.

In addition other classes of peroxides can be used as an alternative to hydrogen peroxide and sources thereof or in combination with hydrogen peroxide and sources thereof. Suitable classes include dialkylperoxides, diacylperoxide preformed percarboxylic acids, persulphates and organic and inorganic peroxides.

Hydrogen peroxide or sources thereof provide from 0.1% to 15%, preferably from 0.5% to 10%, most preferably from 1% to 5% by weight of the total composition of active oxygen in said composition.

As used herein active oxygen concentration refers to the percentage concentration of elemental oxygen, with an oxidation number zero, that being reduced to water would be stoichiometrically equivalent to a given percentage concentration of a given peroxide compound, when peroxide functionality of the peroxide compound completely reduced to oxides. The active oxygen sources according to the present invention increase the ability of the compositions to remove coloured stains, to destroy malodourous molecules and to kill germs.

The concentration of available oxygen can be determined by methods known in the art, such as the iodimetric method, the permanganometric method and the cerimetric method. Said methods and the criteria for the choice of the appropriate method are described for example in "Hydrogen Peroxide", W. C. Schumb, C. N. Satterfield and R. L. Wentworth, Reinhold Publishing Corporation, New York, 1955 and "Organic Peroxides", Daniel Swern, Editor Wiley Int. Science, 1970.

Suitable organic and inorganic peroxides for use in the compositions according to the present invention include diacyl and dialkyl peroxides such as dibenzoyl peroxide, dilauroyl peroxide, dicumyl peroxide, persulphuric acid and mixtures thereof. The compositions according to the present invention comprise from 0% to 15%, preferably from 0.005% to 10% of said organic peroxides.

Suitable preformed peroxyacids for use in the compositions according to the present invention include diperoxydodecandioic acid DPDA, magnesium perphthalatic acid, perlauric acid, perbenzoic acid, diperoxyazelaic acid and mixtures thereof. The compositions according to the present invention comprise from 0% to 15%, preferably from 0.005% to 10% of said preformed peroxyacids.

Optionally, the compositions may additionally comprise from 0% to 30%, preferably from 2% to 20% of peracid precursors, i.e. compounds that upon reaction with hydrogen peroxide produce peroxyacids. Examples of peracid precursors suitable for use in the present invention can be found among the classes of anhydrides, amides, imides and esters such as acetyl triethyl citrate (ATC) described for instance in EP 91 87 0207, tetra acetyl ethylene diamine (TAED), succinic or maleic anhydrides. Preferably said peracid precursors can be used in an emulsion form as described in unpublished European Patent Application No.: 92870188.7.

The pH of the carpet cleaners as used according to the present invention is from 1 to 6. Therefore, a second essential component of the compositions according to the present invention is an acid. The acid is used to ensure that the pH of the composition is from pH 1 to 6, preferably between pH 2 and 6, more preferably between pH 2 and 5, most preferably between pH 3 and 4.5. In addition some acids can have the advantage that they can form small concentrations of the corresponding peracids by reaction with hydrogen peroxide in-situ, thus enhancing the overall performance of the composition. These acids can be further selected so as to have chelating and/or building properties. The acids of the present invention that may be used for these purposes can be organic or inorganic acids, preferably organic acids such as citric, maleic, oxalic succinic, and tartaric acids.

According to the present invention the compositions may comprise a number of additional compounds such as surfactants, solvents, chelants and perfumes. The optional ingredients are selected so that they are compatible with hydrogen peroxide and sources thereof.

Surfactants suitable for use herein are well known in the art and include anionic, nonionic, zwitterionic and cationic surfactants and mixtures thereof. The surfactants suitable for use herein are compatible with hydrogen peroxide and sources thereof.

The anionic surfactants which may be used in the present invention include for example alkali metal salts of alkyl substituted benzene sulphonates, alkali metal alkyl sulphonates, alkali metal alkyl sulphonates and alkali metal alkyl ether sulphates derived from for example fatty alcohols and alkyl phenols, alkali metal alkane sulphonates, alkali metal olefin sulphonates and alkali metal sulphosuccinates and alkyl succinates, whereby the sodium salts are preferred, alkyl carboxylates and alkyl ether carboxylates.

The nonionic surfactants which may be used include any liquid or solid ethoxylated $C_6\text{-}C_{24}$ fatty alcohol nonionic surfactant, alkyl propoxylates and mixtures thereof, fatty acid $C_6\text{-}C_{24}$ alkanolamides, $C_6\text{-}C_{20}$ polyethylglycol ethers, polyethylene glycol with molecular weight 1000 to 80000 and $C_6\text{-}C_{24}$ amine oxides, glucose amides, alkyl pyrrolidones, betaines.

Suitable cationic surfactants for use herein include quaternary ammonium compounds of the formula $R_1R_2R_3R_4N^+$ where R_1 , R_2 and R_3 are methyl groups, and R_4 is a C_{12-15} alkyl group, or where R_1 is an ethyl or hydroxy ethyl group, R_2 and R_3 are methyl groups and R_4 is a C_{12-15} alkyl group.

9

Another optional ingredient are zwitterionic surfactants. Suitable zwitterionic surfactants derivatives of aliphatic quaternary ammonium, phosphonium, and sulphonium compounds in which the aliphatic moiety can be straight or branched chain and wherein one of the aliphatic substituents contains from about 8 to about 24 carbon atoms and another substituent contains, at least, an anionic water-solubilizing group. Particularly preferred zwitterionic materials are the ethoxylated ammonium sulphonates and sulfates disclosed in U.S. **Patents** 3,925,262, Laughlin et al., issued December 9, 1975 and 3,929,678, Laughlin et al., issued December 30, 1975. The compositions according to the present invention contain from 0% to 20% of zwitterionic surfactants.

The composition according to the present invention comprise from 0.5% to 70%, preferably from 3% to 50% of said surfactants.

The compositions according to the present invention may further comprise a builder system. Any conventional builder system is suitable for use herein including polycarboxylates such fatty acids, materials as ethylenediamine sequestrants tetraacetate, metal ion such aminopolyphosphonates, particularly ethylenediamine tetramethylene phosphonic acid and diethylene triamine pentamethylenephosphonic acid. Though less preferred for obvious environmental reasons, phosphate builders can also be used herein.

Suitable polycarboxylates builders for use herein include citric acid, preferably in the form of a water-soluble salt, derivatives of succinic acid of the formula $R_CH(COOH) CH_2(COOH)$ wherein R is C_{10-20} alkyl or alkenyl, preferably C_{12-16} , or wherein R can be substituted with hydroxyl, sulpho sulphoxyl or sulphone substituents.

WO 95/04127 · PCT/US94/08662

Specific examples include lauryl succinate, myristyl succinate, palmityl succinate, 2-dodecenylsuccinate, 2-tetradecenyl succinate. Succinate builders are preferably used in the form of their water-soluble salts, including sodium, potassium. ammonium and alkanolammonium salts.

Other suitable polycarboxylates are oxodisuccinates and mixtures of tartrate monosuccinic and tartrate disuccinic acid such as described in US 4,663,071.

Suitable fatty acid builders for use herein are saturated or unsaturated C_{10-18} fatty acids, as well as the corresponding soaps. Preferred saturated species have from 12 to 16 carbon atoms in the alkyl chain. The preferred unsaturated fatty acid is oleic acid.

A preferred builder system for use herein consists of a mixture of citric acid, fatty acids and succinic acid derivatives described herein above. The builder system according to the present invention preferably represents from 0% to 10%, preferably from 1% to 7% by weight of the total composition.

Another optional ingredient is a chelant system. The chelant system may improve the stability of the hydrogen peroxide in the formulation and improve the ability of the compositions to remove metal pigments from the stains and soils. Suitable chelants may be chosen from EDTA, NTA or preferably from biodegradable chelants such as s,s-ethylene diamino disuccinate and dipicolinic acid.

The compositions according to the present invention may also comprise perfumes, solvents, dyes, sud suppressing agents, enzymes, photobleaching and other minors. Solvents suitable for use herein may be selected from octyl alcohol, isopropyl alcohol, propyl alcohol and furfuryl alcohol. Dyes and perfumes are selected from those which are compatible

with sources of active oxygen. In particular dyes are used at low concentrations to prevent staining. The compositions according to the present invention may additionally comprise soil release polymers to delay soil build up and facilitate cleaning, antistatic agents to reduce static build up and sunscreening agents to protect the carpet or upholstery treated from ultr-violet radiation.

According to the present invention the method of using the cleaning compositions comprises the step of applying the area to be treated with the aqueous composition and allowing the composition to dry.

The composition may be applied directly onto the area to be treated or applied using a cloth or piece of material. In a preferred embodiment of the invention the composition is applied to the area to be treated by using a spraying device. Such a device may be trigger operated or pump operated. The latter is a particularly preferable embodiment if a large area is to be treated as it facilitates the ease of use for the consumer. The spray devices ensure uniform coverage of the area to be treated and maximizes the advantage of the using liquid compositions containing peroxides. This is because the application of product by spray best allows the product to be left to dry on the area treated, without rubbing or washing. This optimises the action time of the composition and allows the best exploitation of the bleaching action of peroxides.

The area to be treated using the composition according to the present invention may be any size. In addition a complete section or even a whole carpet may be applied with the composition according to the present invention. For such purposes a spray device with a pump to allow prolonged spraying is particularly useful.

The amount of the composition applied will depend on the severity of the stain or soil. In the case of stubborn stains more than one application may be required to ensure complete removal of the stain. The carpet cleaning compositions may also be used in order to deodourise the carpet and remove the dinginess of the carpet resulting from a diffused layer of soil which results from general wear.

According to the present invention the compositions may be used for manual carpet cleaning and commercial carpet cleaning machines. For carpet cleaning machines the compositions according to the present invention can be diluted according to the machine operating instructions. Furthermore, compositions to be used in such machines should be formulated to prevent high sudsing. Preferably the ratio of nonionic surfactant to other surfactants should be higher. More preferably such compositions comprise suds suppressing agents.

According to the present invention the compositions may be used for the removal of odours, stains and soils from carpets or upholstery. In addition the composition may be used to hygenise or disinfect carpets and exterminate microinsects from the carpet or upholstery.

Examples

The following compositions are made by combining the following ingredients in the listed proportions.

EXAMPLE 1

Hydrogen peroxide	5.0
Sodium Dodecyl sulphate	1.5
Poly ethoxy propoxy alcohol	2.0
(C ₁₃ -C ₁₅ , E04, P02)	
BHT (di t-butyl hydroxy toluene	0.08
Perfume, dyes	0.2
Sulphuric acid	up to pH 4
Water	Balance

EXAMPLE 2

Hydrogen peroxide	8.5
Ethoxylated alcohol	1.5
(Dobanol ^R 91-10)	
Ethoxylated alcohol	1.0
(Dobanol ^R 23-3)	
Citric acid	4.0
NaOH	up to pH 4
Perfume, dyes	0.2
Water	Balance

EXAMPLE 3

Hydrogen peroxide	7.0
Ethoxylated alcohol	9.0
(Dobanol ^R 91-10)	
Ethoxylated alcohol	6.0
(Dobanol ^R 23-2)	
Acetyl triethyl citrate	5.0

Citric acid Perfume, dyes

up to pH 4

0.2

Water

Balance

Examples 1 and 2 are preferably to be used for compositions for manual cleaning.

Example 3 is preferably to be used for compositions for carpet cleaning machines.

Example 3 is prepared by mixing together in two separate premixes all the water soluble ingredients on one side, and all the water insoluble ingredients on the other side, such that;

Premix 1: Water, H₂O₂, Dob. 91-10, citric acid, dye. Premix 2: Dob. 23-2, Acetyl triethyl citrate, perfume.

Premix 1 is poured into premix 2 (or viceversa) and vigorously stirred until a stable emulsion is obtained, typically for 30 minutes to 1 hour.

What is claimed is:

- 1. The use of a stable aqueous composition comprising a source of active oxygen having a pH of from 1 to 6 for the cleaning of carpets.
- 2. The use of a stable aqueous composition according to claim 1, wherein the pH is from 2 to 5.
- 3. The use of a stable aqueous composition according to any of the preceding claims wherein the sources of active oxygen are hydrogen peroxide and sources thereof.
- 4. The use of a stable aqueous composition according to any of the preceding claims wherein said composition comprises from 0.1% to 15% of said active oxygen.
- 5. The use of a stable aqueous composition according to any of the preceding claims wherein the source of active oxygen is a mixture of peracid precursors and hydrogen peroxide.
- 6. The use of a stable aqueous composition according to any of the preceding claims wherein said composition further comprises a surfactant or mixtures thereof.
- 7. The use of a stable aqueous composition according to any of the preceding claims wherein said composition further comprises a chelant.
- 8. The use of a stable aqueous composition according to any of the preceding claims wherein said composition further comprises a solvent.
- 9. The use of a stable aqueous composition according to any of the preceding claims in carpet cleaning machines.

- 10. The use of a stable aqueous composition according to claims 1 to 6 in a spray device for the cleaning of carpets.
- 11. The use of a stable aqueous composition according to claim 8, wherein said spray device is pump operated.

INTERNATIONAL SEARCH REPORT

Form PCT/ISA/210 (second sheet)(July 1992)*

International application No. PCT/US94/08662

		 	
	ASSIFICATION OF SUBJECT MATTER		
IPC(6) US CL	:C11D 7/08, 7/38,7/54; DO6L 1/12, 3/02 :8/111, 139; 252/95, 100		
	to International Patent Classification (IPC) or to be	oth national classification and IPC	
	LDS SEARCHED		
Minimum o	documentation searched (classification system follo	wed by classification symbols)	
	8/111, 139; 252/95, 100		
Documenta	tion searched other than minimum documentation to	the extent that such documents are included	in the fields searched
Electronic	data base consulted during the international search	(name of data base and, where practicable	, search terms used)
C. DOC	CUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where	appropriate, of the relevant passages	Relevant to claim No.
X	Tenside, surfactants, detergents, 1986, H. Krussman et al., "Zum Teppichreinigung", pages 80-8481.	Einsatz der Bleiche bei der	1-3
E	US, A, 5,338,475 [COREY] 16 A EXAMPLE 6 and the claims.	August 1994 See TABLE I,	1-3
		·	
Furthe	er documents are listed in the continuation of Box	C. See patent family annex.	
•	cial categories of cited documents:	T later document published after the inter	national filing date or priority
'A" doct to be	amout defining the general state of the art which is not considered to of particular relevance	date and not in conflict with the applicat principle or theory underlying the inves	ion but cited to understand the ntion
'E' certi	er document published on or after the international filing date	"X" document of particular relevance; the	claimed invention cannot be
'L' docu	ament which may throw doubts on priority claim(a) or which is to establish the publication date of another citation or other	considered novel or cannot be considered when the document is taken alone	n to myorve an inventive step
apec:	and reason (as specified)	"Y" document of particular relevance; the considered to involve an inventive a	claimed invention cannot be
O" docu	ment referring to an oral disclosure, use, exhibition or other	combined with one or more other such being obvious to a person skilled in the	documents, such combination
P° docu	ment published prior to the international filing date but later than priority date claimed	"&" document member of the same patent fi	
Date of the a	ctual completion of the international search	Date of mailing of the international sear	ch report
22 ОСТОВ	ER 1994	1 5 NOV 1994	
lame and ma	niling address of the ISA/US	Authorized office 1/1/	
Box PCT	er of Patents and Trademarks	PHILIPANIE INCO	
Washington, acsimile No.	•	Telephone No. (703) 308-2525	-
		1 ELEDRORE NO. (703) 30X-7575	5

INTERNATIONAL SEARCH REPORT

International application No. PCT/US94/08662

Box 1 Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
Claims Nos.: 4-11 because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.